LAND FOR SALE

3,300 +/- Acres

Monroe & St. Francis County, Arkansas



OFFERED BY:





For Additional Information Contact:

Jeffrey Hignight 1702 Stone, Suite C Jonesboro, AR 72401 Office: (870) 972-6996 Fax: (870) 931-5985

Email: info@glaubfm.com


Ross Perkins # 6 Heartland Dr, Suite A Bloomington, IL 61704 Office: (309) 665-0059 Mobile: (217)249-4115

Email: RPerkins@firstmid.com

FARM SUMMARY

Property Overview:

This 3,300 +/- acre investment is located in seven tracts from Brinkley to East of Hunter with three of the tracts very near I-40. From end to end the properties are about 20 miles apart. The properties are primarily silt loam soils with some silty clay and is irrigated. Crops are primarily rice and soybeans. The farm's have improvements ranging from underground irrigation pipe, land leveling, and grain bins. Many of the irrigation wells come with electric motors.



The properties are currently leased. The cropland has potential to be improved with precision leveling. Sub surface irrigation is ample and the farms have potential for surface water development. These properties all have waterfowl hunting potential. Some of the tracts are leased. Other income potential comes from billboards along the interstate.

Inspections: Contact Glaub Farm Management, LLC or First Mid Services to inspect farms.

Acreage: 3,300 +/- deeded acres with 3,089.21 +/- Cropland Acres

Lease: Properties are subject to a crop and hunting leases.


Oil, Gas & Mineral: All rights owned will transfer.

Real Estate Taxes: \$23,614 (2018)


Online Map: https://app.terrastridepro.com/property/71492/map?referer=iframe

Asking Price: \$14,129,000


REGIONAL MAP




GENERAL LOCATION MAP



TRACT 1 AERIAL MAP




TRACT 1 SOILS MAP




*n 42.6

Weighted Average


TRACT 1 CROP HISTORY




TRACT 2 AERIAL MAP



TRACT 2 SOILS MAP





State: Arkansas
County: St Francis
Location: 27-5N-1E
Township: Goodwin
Acres: 77.12
Date: 6/4/2019

GLAUB








Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	*n NCCPI Overall
He	Henry silt loam, 0 to 1 percent slopes	56.91	73.8%		Illw	42
CIA	Calloway silt loam, 0 to 1 percent slopes	8.14	10.6%		Ilw	49
LgB2	Loring silt loam, 1 to 3 percent slopes eroded	4.36	5.7%		lle	56
Za	Zachary silt loam	3.79	4.9%		Vw	24
LgB	Loring silt loam, 1 to 3 percent slopes, west	2.25	2.9%		lle	.54
CIB	Calloway silt loam, 1 to 3 percent slopes	1.67	2.2%		lle	49
					Weighted Average	*n 43.1


^{*}n: The aggregation method is "Weighted Average using major components"

^{*}c: Using Capabilities Class Dominant Condition Aggregation Method


TRACT 2 CROP HISTORY



TRACT 3 AERIAL MAP



TRACT 3 SOILS MAP



Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	*n NCCPI Overall
CIB	Calloway silt loam, 1 to 3 percent slopes	97.88	51.0%		lle	49
He	Henry silt loam, 0 to 1 percent slopes	66.07	34.4%		Illw	42
CwA	Crowley silt loam, 0 to 1 percent slopes	21.72	11.3%		Illw	71
CIA	Calloway silt loam, 0 to 1 percent slopes	4.37	2.3%		llw	49
LgB	Loring silt loam, 1 to 3 percent slopes, west	2.00	1.0%		lle	54
					Weighted Average	*n 4


^{*}n: The aggregation method is "Weighted Average using major components"

21

28

^{*}c: Using Capabilities Class Dominant Condition Aggregation Method


TRACT 3 CROP HISTORY



TRACT 4 AERIAL MAP




TRACT 4 SOILS MAP




^{*}n: The aggregation method is "Weighted Average using major components"

^{*}c: Using Capabilities Class Dominant Condition Aggregation Method


TRACT 4 CROP HISTORY




TRACT 5 AERIAL MAP



TRACT 5 SOILS MAP





State: Arkansas
County: St Francis
Location: 28-4N-1W
Township: Wheatley
Acres: 866.61
Date: 6/4/2019








Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	*n NCCPI Overall
HmA	Hillemann silt loam, 0 to 1 percent slopes	301.29	34.8%		llw	46
Za	Zachary silt loam	279.45	32.2%		Vw	24
LgC2	Loring silt loam, 3 to 8 percent slopes, eroded	110.74	12.8%		Ille	31
He	Henry silt loam, 0 to 1 percent slopes	55.64	6.4%		IIIw	42
StB	Stuttgart silt loam, 1 to 3 percent slopes	47.60	5.5%		lle	71
HmB	Hillemann silt loam, 1 to 3 percent slopes	19.43	2.2%		lle	79
LgB	Loring silt loam, 1 to 3 percent slopes, west	19.30	2.2%		lle	54
CIA	Calloway silt loam, 0 to 1 percent slopes	18.17	2.1%		llw	49
CIB	Calloway silt loam, 1 to 3 percent slopes	7.84	0.9%		lle	49
W	Water	7.15	0.8%			
		-			Weighted Average	*n 38.7


^{*}n: The aggregation method is "Weighted Average using major components"

^{*}c: Using Capabilities Class Dominant Condition Aggregation Method


TRACT 5 CROP HISTORY



TRACT 6 AERIAL MAP




TRACT 6 SOILS MAP




*n: The aggregation method is "Weighted Average using major components"

*c: Using Capabilities Class Dominant Condition Aggregation Method


TRACT 6 CROP HISTORY




TRACT 7 AERIAL MAP



TRACT 7 SOILS MAP



TRACT 7 CROP HISTORY



NOTES

	_
	_
	_